

Aprilia RS 125 + RS4 125 " underpowered " **GP series** ( Max 15 cv original )



## Specifications

Brand / Model: **2T** Aprilia RS 125 // **4T** Aprilia RS4 125  
Engine type : **2T** Single-cylinder // **4T** DOHC 4 valves Bore x Stroke 58 x 47 mm  
Displacement : **2T** 124.2 cc // **4T** 124.8 cc  
Anno 1998 - 2011 : **2T** Max Power: 14 pk/cv 8500/rpm Max Torque : 1.6 kgm (15.7 Nm) / 5.850/rpm  
Anno 1010 : **4T** Max Power :14.75 cv (11 kW) Compression ratio : 12,5 : 1 (12.2 Nm) / 8.000/rpm  
Fuel System : **2T** Dell'Orto VHST 28 // **4T** Electronic fuel injection  
Cooling system: Liquid cooled  
Starter : Electric  
Gearbox / Drive : 6 Speed / Chain  
Front brakes : Disk **2T** 320mm // **4T** 300 mm  
Rear brakes : Disk **2T** 220 mm // **4T** 218 mm  
Tires Front : **2T** 110/70 17" // **4T** 100/80 17"  
Tires Rear : **2T** 150/60 17" // **4T** 130/70 17"  
Overall Length : **2T** 1955 mm // **4T** 1953 mm  
Overall Width : **2T** 720 mm // **4T** 740 mm  
Overall Height : **2T** 1100 mm // **4T** 1138 mm  
Seat Height : **2T** 805 mm // **4T** 820 mm  
Ground Clearance : **2T** 1345 mm // **4T** 1350 mm  
Dry Weight : **2T** 125 Kg // **4T** 134 Kg  
Fuel Tank Capacity: 14 Lt

Derbi GPR 125 4T 4V " underpowered " **GP series** ( Max 15 cv original )



## Specifications

Brand / Model: Derbi GPR 125 4T 4V  
Engine type : Single-cylinder, 4 stroke 4 valves  
Displacement : 124,20 cc // Bore x Stroke 58 x 47 mm  
Max Power: 15 pk/cv 9.250  
Fuel System : Carburetor 30 mm  
Cooling system: Liquid cooled  
Starter : Electric  
Gearbox / Drive : 6 Speed / Chain  
Front brakes : Disk 300mm  
Rear brakes : Disk 220 mm  
Tires Front : 100/80 17"  
Tires Rear : 130/70 17"  
Overall Length : 2015 mm  
Overall Width : 720 mm  
Seat Height : 810 mm  
Ground Clearance : 1355 mm  
Dry Weight : 120 Kg  
Fuel Tank Capacity: 13 Lt

KTM Duke 125 4T " underpowered " **GP series** ( Max 15 cv original )



## Specifications

Brand / Model: KTM 125 Duke 125 4T  
Engine type : Single-cylinder, 4 stroke  
Displacement : 124,70 cc // Bore x Stroke 58 x 47.2 mm  
Max Power: 15 pk/cv  
Fuel System :  
Cooling system: Liquid cooled  
Starter : Electric  
Gearbox / Drive : 6 Speed / Chain  
Front brakes : Disk 280 mm  
Rear brakes : Disk 230 mm  
Tires Front : 100/80 17"  
Tires Rear : 130/70 17"  
Seat Height : 810 mm  
Ground Clearance : 1361 mm  
Dry Weight : 125 Kg  
Fuel Tank Capacity: 10.5 Lt

Honda Cbr 125R " underpowered " **GP series** ( Max 15 cv original )



### Specifications

Brand / Model: Honda Cbr 125R  
Engine type : Single-cylinder, 4 stroke SOHC 2 valves  
Displacement : 124,7 cc // Bore x Stroke 58 x 47.2 mm  
Max Power: ( 10 Kw ) 13.6 pk/cv 10.000/rpm  
Compression ratio 11 : 1 // Max Torque : 10,08 Nm @ 8.000/rpm  
Fuel System : Electronic fuel injection PGM-FI  
Cooling system: Liquid cooled  
Starter : Electric  
Gearbox / Drive : 6 Speed Chain  
Front brakes : Disk 276 mm  
Rear brakes : Disk 220 mm  
Tires Front : 80/90 17"  
Tires Rear : 100/80 17"  
Overall Length : 1.920 mm  
Overall Width : 675 mm  
Overall Height : 1.070 mm  
Seat Height : 776 mm  
Ground Clearance : 1294 mm  
Dry Weight : 115 Kg  
Fuel Tank Capacity: 10 Lt

Yamaha yzf-R125 " underpowered " **GP series** ( Max 15 cv original )



### Specifications

Brand / Model: Yamaha yzf-R125  
Engine type : Single-cylinder, 4 stroke SOHC 4 valves  
Displacement : 124,66 cc // Bore x Stroke 58.6 x 52 mm  
Max Power: ( 11 Kw ) 15 pk/cv 9.000/rpm  
Compression ratio 11.2 : 1 // Max Torque : 12,24 Nm (1,25 kg-m) @ 8.000/rpm  
Fuel System : Electronic fuel injection  
Cooling system: Liquid cooled  
Starter : Electric  
Gearbox / Drive : 6 Speed Chain  
Front brakes : Disk 292 mm  
Rear brakes : Disk 230 mm  
Tires Front : 100/80 17"  
Tires Rear : 130/70 17"  
Overall Length : 2015 mm  
Overall Width : 660 mm  
Overall Height : 970 mm  
Seat Height : 818 mm  
Ground Clearance : 1355 mm  
Dry Weight : 126.5 Kg  
Fuel Tank Capacity: 14 Lt