

Aprilia SX 125 **Road Racing** (Max 25 cv)



Specifications

Brand / Model: Aprilia SX 125
Engine type : Single-cylinder, 2 stroke
Displacement : 124,80 cc // Bore x Stroke 54 x 54.5 mm
Max Power: 22 pk/cv // 1.63kgm (Kit repowering)
Fuel System : Carburetor 28 mm
Cooling system: Liquid cooled
Starter : Electric
Gearbox / Drive : 6 Speed / Chain
Front brakes : Disk 260 mm
Rear brakes : Disk 220 mm
Tires Front : 110/70 17"
Tires Rear : 150/60 17"
Overall Length : 2165 mm
Seat Height : 870 mm
Ground Clearance : 1480 mm
Dry Weight : 115 Kg
Fuel Tank Capacity: 1 Lt

Derbi Senda DRD 125 SM **Road Racing** (Max 25 cv)



Specifications

Brand / Model: Derbi Senda DRD 125 SM
Engine type : Single-cylinder, 4 stroke 4 valves
Displacement : 124,20 cc // Bore x Stroke 58 x 47 mm
Max Power: 15 / 22 pk/cv -- (22 pk/cv Kit repowering)
(15 cv/pk) Compression ratio 12: 1 // Max Power : 15 /pk / cv 9.250rpm
Fuel System : Carburetor 28 mm
Cooling system: Liquid cooled
Starter : Electric
Gearbox / Drive : 6 Speed / Chain
Front brakes : Disk 300 mm
Rear brakes : Disk 220 mm
Tires Front : 100/80 17"
Tires Rear : 130/70 17"
Overall Length : 2129 mm
Overall Width : 808 mm
Seat Height : 1443 mm
Ground Clearance : 1395 mm
Dry Weight : 124 Kg
Fuel Tank Capacity: 7.5 Lt

Fantic Motor Caballero Motard H2O 125 **Road Racing** (Max 25 cv)



Specifications

Brand / Model: Fantic Motor Caballero Motard H2O 125
Engine type : Minarelli Single-cylinder, 4 stroke 4 valves
Displacement : 124,45 cc // Bore x Stroke 52 x 58.6 mm
Max Power: 15 / 20 / 24 pk/cv -- (20 pk/cv Kit repowering + 24 pk/cv Kit repowering Racing)
Fuel System : with Kit
Cooling system: Liquid cooled
Starter : Electric
Gearbox / Drive : 6 Speed / Chain
Front brakes : Disk 260 mm
Rear brakes : Disk 220 mm
Tires Front : 110/70 17"
Tires Rear : 150/60 17"
Overall Length : 2040 mm
Overall Width : 780 mm
Overall Height : 940 mm
Seat Height : 818 mm
Ground Clearance : 1395 mm
Dry Weight : 96 Kg
Fuel Tank Capacity: 7.5 Lt

Husqvarna SMS 125 **Road Racing** (Max 25 cv)



Specifications

Brand / Model: Husqvarna SMS 125 (2008)

Engine type : Single-cylinder, 2 stroke

Displacement : 124,80 cc // Bore x Stroke 54 x 54.5 mm

Max Power: 15 / 26 pk/cv -- (22 pk/cv Kit repowering)

Fuel System : Carburetor 28 mm

Cooling system: Liquid cooled

Starter : Electric

Gearbox / Drive : 6 Speed / Chain

Front brakes : Disk 260 mm

Rear brakes : Disk 220 mm

Tires Front : 110/70 17"

Tires Rear : 150/60 17"

Seat Height : 870 mm

Ground Clearance : 1470 mm

Dry Weight : 113 Kg

Fuel Tank Capacity: 9.5 Lt

Rieju Marathon Supermotard 125 PRO **Road Racing** (Max 25 cv)



Specifications

Brand / Model: Rieju Marathon Supermotard 125 PRO
Engine type : Single-cylinder, 4 stroke 4 valves
Displacement : 125cc // Bore x Stroke 52 x 59 mm
Max Power: 15 / 22 pk/cv -- (22 pk/cv Kit repowering)
Fuel System : with Kit
Cooling system: Liquid cooled
Starter : Electric
Gearbox / Drive : 6 Speed / Chain
Front brakes : Disk 300 mm
Rear brakes : Disk 200 mm
Tires Front : 100/80 17"
Tires Rear : 130/70 17"
Overall Length : 2150 mm
Seat Height : 900 mm
Ground Clearance : 1395 mm
Dry Weight : 107 Kg
Fuel Tank Capacity: 6 Lt

Yamaha WR 125 X **Road Racing** (Max 25 cv)



Specifications

Brand / Model: Yamaha WR 125 X (2010)
Engine type : Minarelli Single-cylinder, 4 stroke 4 valves
Displacement : 125 cc // Bore x Stroke 52 x 58.6 mm
Max Power: 15 / 22 pk/cv -- (20 pk/cv Kit repowering)
(15 cv/pk) Compression ratio 11.2 : 1 // Max Torque : 12,24 Nm (1,25 kg-m) @ 8.000/rpm
Fuel System : Electronic fuel injection
Cooling system: Liquid cooled
Starter : Electric
Gearbox / Drive : 6 Speed / Chain
Front brakes : Disk 298 mm
Rear brakes : Disk 220 mm
Tires Front : 110/70 17"
Tires Rear : 140/70 17"
Overall Length : 2095 mm
Seat Height : 920 mm
Ground Clearance : 1430 mm
Dry Weight : 137 Kg
Fuel Tank Capacity: 8.5 Lt